

Safety Data Sheet Homesolv Multi-Purpose Disinfectant Cleaner SDS Revision Date: 07/15/2020

1. Identification

1.1. Product identifier Product Identity Alternate Names

Intended use

HomesolvMulti-Purpose Disinfectant Cleaner – All Scents Multi-Purpose Disinfectant Cleaner – All Scents Disinfectant Cleaner

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large- scale or prolonged exposure, in accordance with the requirements of USDOL OSHA See product label for consumer use of product. All precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.

1.3. Details of the supplier of the safety data sheet

Company Name

Citra Solv, LLC 188 Shadow Lake Road Ridgefield, CT 06877

Emergency Contact

24 hour Emergency Telephone No.: Chemtel: (800) 255-3924

2. Hazard(s) identification

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements



3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Hydrogen Peroxide CAS Number: 0007722-84-1	1 - 5	Acute Tox. 4;H302 Acute Tox. 4;H332 STOT SE 3; H335; C = 35% Eye Dam. 1; H318: $8 \% = C < 50 \%$ Eye Irrit. 2; H319: $5 \% = C < 8 \%$ Ox. Liq. 1; H271: C = 70% Ox. Liq. 2; H272: $50 \% = C < 70 \%$ Skin Corr. 1A; H314: C = 70% Skin Corr. 1B; H314: $50 \% = C < 70 \%$ Skin Irrit. 2; H315: $35 \% = C < 50 \%$	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and the continue rinsing. Call poison control center or doctor for treatment advice. For emergency information, call your poison control center at 1-800-222-1222.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	See above general first aid.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

 Overview
 Skin: Not a skin irritant

 Eyes: Irritant. May cause eye irritation.

 Inhale: May cause respiratory irritation of the respiratory tract.

 Ingest: May cause irritation of the digestive tract. Existing skin diseases may be aggravated by overexposure.

 Treat symptomatically.



Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Do not breathe dust, fume, mist, vapors or spray.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Use water vapor, foam or fog. Firefighters should wear proper protective equipment.

ERG Guide No.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Spill Clean Up: Wear appropriate protective equipment. Absorb with an inert material and put spilled material in appropriate waste disposal.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Avoid contact with eyes. Keep container closed. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Keep container in cool well ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children.

Incompatible materials: Acids, strong alkali, chemical reducing agents.

7.3. Specific end use(s)

No data available.



Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure					
CAS No.	Ingredient	Source	Value		
0007722-84-1 Hydrogen Peroxide	OSHA	TWA 1 ppm (1.4 mg/m3)			
		ACGIH	TWA: 1 ppm		
		NIOSH	TWA 1 ppm (1.4 mg/m3)		

8.2. Exposure controls

Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Wear appropriate protective gloves.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Section 9. Physical and chemical properties

Appearance	Clear to slightly hazy, water-thin Liquid
Odor	Characteristic
Odor threshold	Not determined
рН	1.4 - 2.4
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	Not Measured
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Upper/lower flammability or explosive limits Vapor pressure (Pa)	•
	Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Upper Explosive Limit: Not Measured Not Measured
Vapor pressure (Pa) Vapor Density	Upper Explosive Limit: Not Measured Not Measured Not Measured
Vapor pressure (Pa) Vapor Density Relative Density	Upper Explosive Limit: Not Measured Not Measured Not Measured 1.015 - 1.025
Vapor pressure (Pa) Vapor Density Relative Density Solubility in Water	Upper Explosive Limit: Not Measured Not Measured Not Measured 1.015 - 1.025 Soluble
Vapor pressure (Pa) Vapor Density Relative Density Solubility in Water Partition coefficient n-octanol/water (Log Kow)	Upper Explosive Limit: Not Measured Not Measured Not Measured 1.015 - 1.025 Soluble Not Measured



Viscosity (cSt) 9.2. Other information

No other relevant information.

Not Measured

Section 10. Stability and reactivity

10.1. Reactivity
Hazardous Polymerization will not occur.
10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No data available.
10.4. Conditions to avoid
No data available.
10.5. Incompatible materials
Acids, strong alkali, chemical reducing agents.
10.6. Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Hydrogen Peroxide - (7722-84-1)	1,026.00, Rat - Category: 4	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value			
0007722-84-1	Hydrogen Peroxide	OSHA	HA Regulated Carcinogen: No			
		NTP	Known: No;	Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
		ACGIH A3				
Classification		Ca	tegory	Hazard Description		
Acute toxicity	r (oral)			Not Applicable		
Acute toxicity	(dermal)			Not Applicable		



Safety Data Sheet Homesolv Multi-Purpose Disinfectant Cleaner

Acute toxicity (inhalation)	 Not Applicable
Skin corrosion/irritation	 Not Applicable
Serious eye damage/irritation	 Not Applicable
Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

Product Testing Results:

Eye Irritation: There was no corneal opacity or iritis notated at any observation period. Conjunctival irritation noted in three out of three eyes, cleared in 7 days.

There was no abnormal physical signs noted during the observation period.

Conclusion: Ocular administration of product produced irritation which cleared in 7 days.

Skin Irritation: Absent very slight erythema and no edema were observed at the 1 hour following the 4 hour exposure.

There was no abnormal physical signs noted during the observation period. Conclusion: Product is not a dermal irritant.

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,	
	mg/l	mg/l	mg/l	
Hydrogen Peroxide - (7722-84-1)	16.40, Pimephales promelas	2.40, Daphnia pulex	1.38 (72 hr), Skeletonema costatum	

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.



12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazard	ds		

IMDG Marine Pollutant: No;

14.6. Special precautions for user: Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance
Control Act (TSCA)All components of this material are either listed or exempt from listing on the TSCA
Inventory.

EPCRA 302 Extremely Hazardous:

Hydrogen Peroxide

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Acetaldehyde Ethylene Oxide

Proposition 65 - Developmental Toxins (>0.0%):

Ethane-1,2-diol



Proposition 65 - Female Repro Toxins (>0.0%):

Ethane-1,2-diol Ethylene Oxide

Proposition 65 - Male Repro Toxins (>0.0%):

Ethylene Oxide

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Acetaldehyde, Ethylene Oxide], which are known to the State of California to cause cancer, and [Ethane-1,2-diol, Ethylene Oxide], which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. EPA Label Information:

EPA Registration Number: 85837-4

Difference between SDS and EPA (FIFRA) Pesticide label:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for Safety Data Sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use. The hazard information required on the pesticide label is reproduced below:

Warning:

CAUTION: Causes moderate eye irritation.

Section 16. Other information

SDS Revision Date 07/15/2020

The full text of the phrases appearing in section 3 is:

H271 May cause fire or explosion; strong oxidizer.

H272 May intensify fire; oxidizer.

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

The information contained herein is furnished without warranty of any kind. The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide. Users should make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.

End of Document